LITERATURE CITED

- Anderson, J.F., R.C. Johnson, L.A. Magnarelli, F. H. Hyde and J.E. Meyers. 1987. Prevalence of *Borrelia burgdorferi* and *Babesia microti* in mice on islands inhabited by white-tailed deer. Applied and Environmental Microbiology 53:892-894.
- Burke, D. and A.W. Burnett. 1998. New Jersey's Deer Management Program Briefing Paper. New Jersey Department of Environmental Protection, Division of Fish, Game & Wildlife, Trenton, New Jersey.
- Burke, D., S. Predl, D.M. Ferrigno, A. Baker, and A.W. Burnett. 1992. Collection and evaluation of reproduction and condition data throughout the winter-spring period. New Jersey Department of Environmental Protection, Division of Fish, Game & Wildlife, Trenton, New Jersey. Federal Aid in Wildlife Restoration. Project W-45-R-27. 14 pp.
- Burke, D., A. Deatly, R.E. Eriksen, R.C. Lund, P.A. McConnell, R.P. Winkel and S. Predl. 1990. An assessment of deer hunting in New Jersey (revised edition). New Jersey Department of Environmental Protection and Energy, Division of Fish, Game and Wildlife, Trenton, New Jersey.
- Burke, D. 1976. Location, evaluation, and classification of deer range with emphasis on winter range. New Jersey Department of Environmental Protection, Division of Fish, Game and Shellfisheries, Trenton, New Jersey. Federal Aid in Wildlife Restoration. Project W-45-R-12.
- Burnett, A.W., S. Predl, and D.M. Ferrigno. 1999. Annual deer harvest. New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife, Trenton, New Jersey. Federal Aid in Wildlife Restoration. Project W-68-R-1.
- Centers for Disease Control. 1992. Preliminary data for cases of Lyme disease reported in 1991. Lyme Disease Surveillance Summary, Volume 3, Number 1, U.S. Department of Health and Human Services, Ft. Collins, Colorado.
- Eabry, S., ed. 1970. A glossary of deer terminology. Prepared by the terminology committee, Northeast Deer Study Group. NY: Wildlife Research Laboratory. 31 pp.
- Ellingwood, M.R. and J.V. Spignesi. 1986. Management of an urban deer herd and the concept of cultural carrying capacity. Transactions of the Northeast Deer Technical Committee. 22:42-45.
- Ginsberg, H.S., 1994. Lyme disease and conservation. Conservation Biology, 8(2):343-353.
 - Howard, G.P. 1972. At the Crossroads. New Jersey Outdoors, 23(3):3-9.
- Jones, O.G., R.S. Ostfeld, M.P. Richard, E.M. Schauber and J.O. Wolff. 1998. Chain reactions linking acorns to gypsy moth outbreaks and Lyme disease risk. Science 279:1023-1025.
- Levine, J.F., M.L. Wilson, and A. Spielman. 1985. Mice as reservoirs of the Lyme disease spirochete. American Journal of Tropical Medicine and Hygiene 34:355-360.
- Little, S. and S.A. Somes. 1965. Atlantic white-cedar being eliminated by excessive animal damage in South Jersey. Res. Note NE-33. Delaware, OH: USDA Forest Service, Northeastern Forest Experiment Station.

- Main, A.J., H.E. Sprance, K.O. Kloter and S.E. Brown. 1981. *Ixodes dammini* (*Acari: Ixodidae*) on white-tailed deer (*Odocoileus virginianus*) in Connecticut. Journal of Medical Entomology 18:487-492.
- McConnell, P.A., and D. Burke. 1980. Location, Classification and Cataloging of Winter Range. New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife, Trenton, New Jersey. Federal Aid in Wildlife Restoration. Project W-45-R-15.
- McCullough, D.R. 1979. The George Reserve deer herd: population ecology of a K-selected species. Ann Arbor: Univ. of Michigan Press. 271 pp.
- -----. 1982. Population growth rate of the George Reserve deer herd. J. Wildlife Management. 46(4):1079-1083.
- Murphy, G. 1999. New Jersey Department of Transportation, Accident Records Section, Trenton, New Jersey. Personal communication.

New Jersey Statutes Annotated Title 23:2B-15.

- Oliver, J.H., M.R. Owlsley, H.J. Hutcheson, A.M. James, C. Chen, W.S. Irby, E.M. Dotson and D.K. McLain. 1993. Conspecificity of the ticks_*Ixodes scapularis* and *I. dammini* (Acari: Ixodidae). Journal of Medical Entomology 30:54-63.
- Piesman, J. and A. Spielman. 1979. Host-associations and seasonal abundance of immature *Ixodes dammini* in southeastern Massachusetts. Annals of the Entomological Society of America 72:829-832.
- New Jersey Department of Agriculture and New Jersey Agricultural Statistics. 1998. Annual report (Circular #550). Trenton, New Jersey.
- Telford, S.R., III, T.N. Mather, S.I. Moore, M.L. Wilson and A. Spielman. 1988. Incompetence of deer as reservoirs of the Lyme disease spirochete. American Journal of Tropical Medicine and Hygiene 39:105-109.
- U.S. Department of the Interior, Fish and Wildlife Service, and U.S. Department of Commerce, Bureau of the Census. 1996 National Survey of Fishing, Hunting and Wildlife-Associated Recreation (New Jersey), pp. 4.
 - Warren, R.J. Wildlife Society Bulletin 1997, 25(2):213-214.
- Wilson, M.L., A.M. Ducey, T.S. Litwin, T.A. Gavin and A. Spielman. 1990. Microgeographic distribution of immature *Ixodes dammini* ticks correlated with that of deer. Medical and Veterinary Entomology (1990) 4, 151-159.
- Wilson, M.L., G.H. Adler and A. Spielman. 1985. Correlation between abundance of deer and that of the deer tick, *Ixodes dammini* (*Acari: Ixodidae*). Annals of the Entomological Society of America 78:172-176.
- Zimmermann, G. 1997. The Atlantic white-cedar (*Chamaecyparis thyoides*) regeneration experiments: Final Report. Submitted to the New Jersey Department of Environmental Protection and U.S. Forest Service. Richard Stockton College of New Jersey, Pomona, New Jersey.